

## APLS 4th Edition References

### Appendices

Ref	Title	Authors	Journal	Description
766	Practical aspects of resuscitating asphyxiated newborn infants.	Saugstad OD,	Eur J Pediatr	1998;157(suppl 1):S11-S15
767	Methods of resuscitation in low-apgar-score newborn infants: a national survey.	Palme-Kilander C.	Acta paediatr	1992;81:739-744
768	World Health Report. Geneva, Switzerland.	World Health Organization		1995
769	Cardiopulmonary resuscitation in the delivery room: associated clinical events.	Perlman JM, Risser R.	Arch Pediatr Adolesc Med	1995;149:20-25
770	Recommended guidelines for uniform reporting of data from out of hospital cardiac arrest: the Utstein style.	Cummins RO, Chamberlain DA, Abramson NS, Et Al.	Circulation	1991;84:960-975
771	Recommended guidelines for reviewing, reporting and conducting research on on hospital resuscitation: the in hospital 'Utstein style'.	Cummins RO, Chamberlain DA, Hazinski MF, Et Al.	Circulation	1997;95:2213-2239
772	Recommended guidelines for uniform reporting of pediatric advanced life support: the pediatric Utstein style: a statement for healthcare professionals from a task force of the American Academy of Pediatrics, the American Heart Association and the European	Writing Group, Zaritsky A, Nadkarni V, Hazinski MF, Foltin G, Quan L, Wright J, Fiser D, Zideman D, O'Malley P, Chameides L.	Circulation	1995;92:2006-2020
773	Pediatric life support: an advisory statement by the pediatric life support working group of the international liaison committee on resuscitation.	Nadkarni V, Hazinski MF, Zideman D, Kattwinkel J, Quan L, Bingham R, Zaritsky A, Bland J, Kramer E, Tibballs J.	Resuscitation	1997;34:115-127
774	ILCOR advisory statement: resuscitation of the newly born infant: an advisory statement from the pediatric working group of the international liaison committee on resuscitation.	Kattwinkel J, Niermeyer S, Nadkarni V, Tibballs J, Phillips B, Zideman D, Van Reempts P, Osmond M.	Circulation	1999;99:1927-1938
775	Guidelines for cardiopulmonary resuscitation and emergency cardiac care: Emergency cardiac care committee and subcommittees, american heart association, part v: pediatric basic life support (See Comments)		JAMA	1992;268:2251-2261
776	Resuscitation Council of Southern Africa: new recommendations for BLS in adults, children and infants.	Kloeck WGJ, Kramer E.	Trauma Emerg Med	1997;14:13-32
777	Advanced Life Support Committee of the Australian Resuscitation		Med J Aust	1996;165:199-201-204-206

	Council. Pediatric advanced life support: Australian Resuscitation Council guidelines: Advanced Life Support Committee of the Australian Resuscitation Council.			
778	Pediatric basic life support: to be read in conjunction with the International Liaison Committee on Resuscitation Pediatric Working Group Advisory Statement (April 1997).	European Resuscitation Council	Resuscitation	1998;37:97-100
779	Pediatric advanced life support: to be read in conjunction with the International Liaison Committee on Resuscitation Pediatric Working Group Advisory Statement (April 1997).	European Resuscitation Council	Resuscitation	1998;37:101-102
780	Recommendations on resuscitation of babes at birth: to be read in conjunction with the International Liaison Committee on Resuscitation Pediatric Working Group Advisory Statement (April 1997).	European Resuscitation Council	Resuscitation	1998;37:103-110
781	Physiologic responses to prolonged slow-rise inflation in the resuscitation of the asphyxiated newborn infant.	Vyas H, Milner AD, Hopkin IE, Boon AW.	J Pediatr	1981;99:635-639
782	Determinants of the first inspiratory volume and functional residual capacity at birth.	Vyas H, Field D, Milner AD, Hopkin IE.	Pediatr Pulmonol	1986;2:189-193
783	The respiratory system.	Jobe A, Fanaroff AA, Martin RJ, et al.	Neonatal Perinatal Medicine st louis mo:CV Mosby	1997;991-1018
784	Meconium aspiration in infants: a prospective study.	Gregory GA, Gooding CA, Phibbs RH, Tooley WH.	J Pediatr	1974;85:848-852
785	Birth asphyxia in the term infant. In: Sinclair JC, Bracken MB, et al, editors. Effective care of the newborn infant, Oxford, UK.	Peliowski A Finer NN.	Oxford University Press	1992: 249-273
786	Fetal and Neonatal physiology: A comparative study of the changes at birth, Chicago III, Year book medical publishers 1968.	Dawes GF.		149-151
787	Comparsion of two techniques for determining the presence of a pulse in an infant.	Whitelaw CC, Goldsmith LJ.	Acad Emerg Med	1997;4:153-154
788	Accuracy of different methods for heart rate determination during simulated neonatal resuscitation.	Thephilopoulos DT, Burchfield DJ.	J Perinatol	1998;18:65-67
789	Thermal environment and acid-base homeostasis in human infants during the first few hours of life.	Gandy GM, Adamson Jr SK, Cunningham N, Silverman WA, James LS.	J Clin Invest	1964;43:751-758
790	Newborn temperature and calulated heat loss in the delivery room.	Dahm LS, James LS.	Pediatrics	1972;49:504-513

791	Maternal fever and neonatal depression: preliminary observations.	Perlman JM.	Clin Pediatr	1999;38:287-291
792	Intrapartum maternal fever and neonatal outcome.	Lieberman E, Lang J, Richardson DK, Frigoletto FD, Heffner LJ, Cohen A.	Pediatrics	2000;105:8-13
793	Interventions for perinatal hypoxic-ischemic encephalopathy (see comments)	Vannucci RC, Perlman JM.	Pediatrics	1997;100:1004-1014
794	Treatment of hypoxic-ischemic brain damage by moderate hypothermia.	Edwards Ad, Wyatt JS, Thoreson M.	Arch Dis Child Fetal Neonatal Ed	1998;78:F85-F88
795	Selective head cooling in newborn infants after perinatal asphyxia: a safety study (see comments)	Gunn AJ, Gluckman PD, Gunn TR.	Pediatrics	1998;102:885-892
796	Oro-naso-pharyngeal suction at birth: effects on respiratory adaptation of normal term vaginally born infants.	Estol PC, Piriz H, Basalo S, Simmini F, Grela C.	J Perinatal Med	1992;20:297-305
797	Neonatal bradycardia following nasopharyngeal stimulation.	Cordero Jr L, Hon EH.	J Pediatr	1971;78(78):441-447
798	Meconium aspiration syndrome: have we made a difference? (see comments)	Wiswell TE, Tuggle JM, Turner BS.	Pediatrics	1990;85:715-721
799	Combined obstetric and pediatric approach to prevent meconium aspiration syndrome.	Carson BS, Losey RW, Bowes Jr WA, Simmons MA.	Am J Obstet Gynecol	1976;126(126):712-715
800	Efficacy of bulb versus DeLee suction and deliveries complicated by meconium stained amniotic fluid (see comments).	Locus P, Yeomans E, Crosby U.	Am J Perinatol	1990;7:87-91
801	Meconium aspiration syndrome: intrapartum and neonatal attributes (see comments).	Rossi EM, Philipson EH, Williams TG, Kalhan SC.	Am J Obstet Gynecol	1989;161:1106-1110
802	Failure to prevent meconium aspiration syndrome.	Falciglia HS.	Obstet Gynecol	1988;71(71):349-353
803	Meconium aspiration syndrome: prevention and treatment.	Greenough A.	Early Hum Dev	1995;40:955-981
804	Meconium staining and the meconium aspiration syndrome: unresolved issues.	Wiswell TE, Bent RC.	Pediatr Clin North Am	1993;40:955-981
805	Meconium in the Delivery Room Trial Group: delivery room management of the apparently vigorous meconium stained neonate: results of the multicentre collaborative trial.	Wiswell TE.	Pediatrics	2000;105:1-7
806	Need for endotracheal intubation and suction in meconium stained neonates.	Linder N, Aranda JV, Tsur M, et al.	J Pediatr	1988;112:613-615
807	Role of carotid body chemoreceptors and their reflex interactions in bradycardia and cardiac arrest.	De Burgh Daly M, Angell-James JE, Elsner R.	Lancet	1979;1:764-767

808	Interactions between respiration and circulation. In: Cherniack NS, Widdicombe JG, editors. <i>Handbook of Physiology, Section 3, The Respiratory System</i> , Bethesda, Md: American Physiological Society.	De Burgh Daly M.		1986;pp529-595
809	Cerebral blood flow and evoked potentials during reoxygenation with 21 or 100% O <sub>2</sub> in newborn pigs.	Rootwelt T, Odden J, Hall C, Ganes T, Saugstad OD.	J Appl Physiol	1993;75:2054-2060
810	Resuscitation of asphyxic newborn infants with room air or 100% oxygen.	Ramji S, Ahuja S, Thirupuram S, Rooth G, Saugstad OD.	Pediatr Res	1993;34:809-812
811	Resuscitation of asphyxiated newborn infants with room air or oxygen: an international controlled trial: the Resair 2 Study.	Saugstad OD, Rootwell T, Aalen O.	Pediatrics	1998;102:el.
812	Evaluation of mask-bag ventilation in resuscitation of infants.	Kanter RK.	Am J Dis Child	1987;141:761-763
813	An evaluation of the efficiency of face masks in the resuscitation of new born infants.	Palme C, Nystrom B, Tunell R.	Lancet	1985;1:207-210
814	Neonatal resuscitation using the laryngeal mask airway (see comments).	Paterson SJ, Byrne PT, Molesky MG, Seal RF, Finucane BT.	Anesthesiology	1994;80:1248-1253
815	Neonatal resuscitation with the laryngeal mask airway in normal and low birth weight infants.	Gandini D, Brimacombe JR.	Anesth Analg	1999;89:642-643
816	Endotracheal tube displacement in the newborn infant.	Todres ID, deBros F, Kramer SS, Moylan FM, Shannon DC.	J Pediatr	1976;89:126-127
817	Optimal positioning of endotracheal tubes for ventilation of preterm infants.	Rotschild A, Chitayat D, Puterman ML, Phang MS, Ling E, Baldwin V.	Am J Dis Child	1991;145:1007-1012
818	The pediatric end-tidal carbon dioxide detector role in endotracheal intubation in newborns.	Aziz HF, Martin JB, Moore JJ.	J perinatol	1999;19:110-113
819	Utility of an end-tidal carbon dioxide detector during stabilization and transport of critically ill children.	Bhende MS, Thompson AE, Orr RA.	Pediatrics	1992;89:1042-1044
820	Optimum position for external cardiac compression in infants and young children.	Orlowski JP.	Ann Emerg Med	1986;15:667-673
821	Relation of infant heart to sternum: its significance in cardiopulmonary resuscitation.	Phillips GW, Zideman DA.	Lancet	1986;1(1):1024-1025
822	An improved technique of external cardiac compression in infants and young children.	Thaler MM, Stobie GHC.	N Engl J Med	1963;269:606-610
823	Closed chest cardiac massage in the newborn infant.	David R.	Pediatrics	1988;81:552-554
824	Methods of external cardiac massage in the newborn infant.	Todres ID, Rogers MC.	J Pediatr	1975;86:781-782
825	Two-thumb versus two-finger chest	Menegazzi JJ, Auble TE,	Ann Emerg Med	1993;22:240-243

	compression during CPR in a swine infant model of cardiac arrest (see comments).	Nicklas KA, Hosack GM, Rack L, Goode JS.		
826	A randomized, controlled trial of two-thumb vs two-finger chest compressions in a swine infant model of cardiac arrest (see comments).	Houri PK, Frank LR, q JJ, Taylor R.	Prehosp Emerg Care	1997;1:65-67
827	Age related effects of compression rate and duration in cardiopulmonary resuscitation.	Dean JM, Koehler RC, Schleien CL, Berkowitz I, Michael JR, Atchison D, Rogers MC, Traystman RJ.	Physiol	1990;68:554-560
828	Blood flow during cardiopulmonary resuscitation with simultaneous compression and ventilation in infant pigs.	Berkowitz ID, Chantarojanasiri T, Koehler RC, Schleien CL, Dean JM, Michael JR, Rogers MC, Traysman RJ.	Pediatr Res	1989;26:558-564
829	Medication use in neonatal resuscitation.	Burchfield DJ.	Clin Perinatol	1999;26:683-691
830	Use of catecholamines in pediatrics.	Zaritsky A, Chernow B.	J Pediatr	1984;105:341-350
831	Epinephrine dosage effects on cerebral and myocardial blood flow in an infant swine model of cardiopulmonary resuscitation.	Berkowitz ID, Gervais H, Schleien CL, Koehler RC, Dean JM, Traystman RJ.	Anesthesiology	1991;75:1041-1050
832	A randomized, blinded trial of high dose epinephrine versus standard dose epinephrine in a swine model of pediatric asphyxial cardiac arrest.	Berg RA, Otto CW, Kern KB, Hilwig RW, Sanders AB, Henry CP, Ewy GA.	Crit Care Med	1996;24:1695-1700
833	Effect of graded doses of epinephrine during asphyxia induced bradycardia in newborn lambs.	Burchfield DJ, Preziosi MP, Lucas VW, Fan J.	Resuscitation	1993;25:235-244
834	Regional cerebral blood flow in the beagle puppy model of neonatal intraventricular hemorrhage: studies during systemic hypertension.	Pasternak JF, Groothus DR, Fischer JM, Fischer DP.	Neurology	1983;33:559-566
835	Human albumin administration in critically ill patients: systematic review of randomised controlled trials.	Cochrane Injuries Group Albumin Reviewers.	BMJ	1998;318:235-240
836	Blood volume of the newborn premature infant.	Usher R, Lind J.	Paediatr Scand	1965;54:419-431
837	Clinical events in association with timing of intraventricular hemorrhage in preterm infants.	Funato M, Tamai H, Nora K, et al.	J Pediatr	1992;121:614-619
838	Buffer agents do not reverse intramyocardial acidosis during cardiac resuscitation.	Kette F, Weil MH, Von Planta M, Gazmuri RJ, Rackow EC.	Circulation	1990;81:1660-1666
839	Buffer solutions may compromise cardiac resuscitation by reducing coronary perfusion pressure.	Kette F, Weil MH, Gazmuri RJ.	JAMA	1991;266:2121-2126
840	Relationship of intravenous sodium bicarbonate infusions and cerebral intraventricular hemorrhage.	Papile LA, Burstein J, Burstein R, Koffler H, Koops B.	J Pediatr	1978;93:834-836

841	The use of sodium bicarbonate in neonatal resuscitation: help or harm?.	Hein HA.	Pediatrics	1993;91:496-497
842	Resuscitation of the newborn: endotracheal administration of epinephrine.	Lindemann R.	Acta Paediatr Scand	1984;73:210-212
843	Epinephrine absorption following endotracheal administration: effects of hypoxia-induced low pulmonary blood flow.	Lucas VW, Preziosi MP, Burchfield DJ.	Resuscitation	1994;27:31-34
844	Age-related changes in pulmonary venous epinephrine concentration and pulmonary vascular response after intratracheal epinephrine.	Mullett C, Kong JQ, Romano JT, Polak MJ.	Pediatr Res	1992;31:458-461
845	Intraosseous lines in preterm and full term neonates.	Ellemunter H, Simma B, Trawoger R, Maurer H.	Arch Dis Child Fetal Neonatal Ed	1999;80:F74-F75
846	Neonatal asphyxia, I: relationship of obstetric and neonatal complications to neonatal mortality in 38405 consecutive deliveries.	MacDonald HM, Mulligan JC, Allen AC, Taylor PM.	J Pediatr	1980;96:898-902
847	Changes in intubation rates and outcome of very low birth weight infants: a population study.	Poets CF, Sens B.	Pediatrics	1996;98:24-27
848	Is chronic lung disease in low birth weight infants preventable? A survey of eight centres.	Avery ME, Tooley WH, Keller JB, et al.	Pediatrics	1987;79:26-30
849	Surfactant: evolving issues.	Kattwinkel J.	Clin Perinatol	1998;25:17-32
850	Hypernatremia and intracranial hemorrhage in neonates.	Simmons MA, Adcock EWIII, Bard H, Battaglia FC.	N Engl J Med	1974;291:6-10
851	Origin of intraventricular haemorrhage in the preterm infant.	Hambleton G, Wigglesworth JS.	Arch Dis Child	1976;51:651-659
852	Further observations of the newborn scoring system.	Apgar V, James LS.	Am J Dis Child	1962;104:419-428
853	Assessment of the Apgar score.	Chamberlain G, Banks J.	Lancet	1974;2:1225-1228
854	Ethical decision making and neonatal resuscitation.	Byrne PJ, Tyebkhan JM, Laing LM.	Semin Perinatol	1994;18:36-41
855	The ethics of cardiopulmonary resuscitation, I: background to decision making.	Davies JM, Reynolds BM.	Arch Dis Child	1992;67:1498-1501
856	Ethical issues in pediatric and neonatal resuscitation.	Landwirth J.	Ann Emerg Med	1993;22:502-507
857	Viability, morbidity and resource use among newborns of 501-800g birth weight: National Institute of Child Health and Human Development Neonatal Research Network.	Tyson JE, Younes N, Verter J, Wright LL.	JAMA	1996;276:1645-1651
858	Cardiopulmonary resuscitation in the very low birth weight infant: the Vermont Oxford Network experience.	Finer NN, Horbar JD, Carpenter JH.	Pediatrics	1999;104:428-434
859	How aggressive should delivery room	Davis DJ.	Pediatrics	1993;92:447-450

	cardiopulmonary resuscitation be for extremely low birth weight neonates? (see comments).		
860	cardiopulmonary resuscitation of apparently stillborn infants: survival and long term outcome (see comments).	Jain L, Ferre C, Vidyasagar D, Nath S Sheftel D.	J Pediatr 1991;118:778-782
861	Outcome of resuscitated apparently stillborn infants: a ten year review.	Yeo CL, Tudehope DL.	J Pediatr Child Health 1994;30:129-133
862	Outcome of resuscitation following unexpected apparent stillbirth.	Casalaz DM, Marlow N, Speidel BD.	Arch Dis Child Fetal Neonatal Ed 1998;78:F112-F115